

Annex to declaration of accreditation (scope of accreditation)
Normative document: EN ISO/IEC 17025:2017
Registration number: **L 543**

of **ProQares B.V.**

This annex is valid from: **18-03-2021** to **01-05-2025**

Replaces annex dated: **14-10-2020**

Location(s) where activities are performed under accreditation

Head Office

Lange Kleiweg 137
2288 GJ
Rijswijk
The Netherlands

Location	Abbreviation/ location code
Lange Kleiweg 137 2288 GJ Rijswijk The Netherlands	R

No.	Material or product	Type of activity¹	Internal reference number	Location
1	Gas filter(s) and Combined filter(s)	Determination of: Visual inspection (7.3) Mass (6.5) Mechanical strength (6.9) Conditioning (6.10) Breathing resistance (6.11) Gas capacity (6.12) Particle filter penetration (6.13) Clogging (6.14) Marking (8) Information supplied by the manufacturer (9)	PQ-W-066 NEN-EN 14387	R

This annex has been approved by the Board of the Dutch Accreditation Council, on its behalf,

J.A.W.M. de Haas

¹ If there is a referral to a code starting with NAW, NAP, EA or IAF, this concerns a scheme mentioned on the [RvA-BR010-lijst](#).
If no date or version number is mentioned for a normative document, the accreditation concerns the most current version of the document or scheme.

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 543**

of **ProQares B.V.**

This annex is valid from: **18-03-2021 to 01-05-2025**

Replaces annex dated: **14-10-2020**

No.	Material or product	Type of activity ¹	Internal reference number	Location
2	Full face masks	Determination of: Visual inspection (8.3) Conditioning (7.5) Flammability (7.6) Cleaning and disinfecting (7.8) Leak tightness (7.16) Carbon dioxide content of the inhalation air (7.18) Breathing resistance (7.19) Inward leakage (7.20) Practical performance (7.22) Marking (9) Information supplied by the manufacturer (10)	PQ-W-067 NEN-EN 136, except for 7.18 (in house method)	R
3	Particle filters	Determination of: Visual inspection (7.3) Mass (7.5) Mechanical strength (7.9) Conditioning (7.10) Breathing resistance (7.11) Particle filter penetration (7.12) Clogging (7.13) Marking (9) Information supplied by the manufacturer (10)	PQ-W-069 NEN-EN 143	
4	Filtering half masks	Determination of: Particle filter penetration (7.9.2)	PQ-W-070 PQ-W-092 PQ-W-121 NEN-EN 149:2001 + A1:2009	
5	Filtering devices incorporating a hood for escape from fire	Determination of: Visual inspection (7.3) Mass (6.5) Conditioning (6.6) Practical performance (6.9) Inward leakage (ocular zone) (6.10.2) Gas capacity (6.11.1) Particle filter penetration (6.11.2) Flammability (6.14) Carbon dioxide content of the inhaled air (6.15) Marking (8) Information supplied by the manufacturer (9)	PQ-W-071 NEN-EN 403, except for 6.15 (in house method)	

of **ProQares B.V.**

This annex is valid from: **18-03-2021 to 01-05-2025**

Replaces annex dated: **14-10-2020**

No.	Material or product	Type of activity ¹	Internal reference number	Location
6	Half masks without inhalation valves and with separable filters to protect against gases or particles only	Determination of: Visual inspection (8.3) Flammability (7.5) Cleaning and disinfecting (7.6) Flow test (7.12.3) Exhalation valves (7.12) Mass (7.14) Gas capacity (7.15) Particle filter penetration (7.16) Clogging (7.17) Carbon dioxide content of inhaled air (7.19) Breathing resistance (7.20) Inward leakage (7.21) Practical performance (7.23) Marking (9) Information supplied by the manufacturer (10)	PQ-W-072 NEN-EN 1827, except for 7.19 (in house method)	R
7	Powered assisted filtering devices incorporating a helmet or a hood	Determination of: Visual inspection (7.2) Cleaning and disinfecting (7.3.5.16) Conditioning (6.2) Helmets and hoods (6.3) Inward leakage (6.4) Breathing resistance (6.5) Clogging (6.8) Gas capacity (6.11) Particle filter penetration (6.11) Carbon dioxide content of the inhaled air (6.13) Flammability (6.14) Exhalation means (6.15) Mass (6.16) Practical performance (6.17) Marking (8) Information supplied by the manufacturer (9)	PQ-W-073 NEN-EN 12941, except for 6.13 (in house method)	

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 543**

of **ProQares B.V.**

This annex is valid from: **18-03-2021** to **01-05-2025**

Replaces annex dated: **14-10-2020**

No.	Material or product	Type of activity ¹	Internal reference number	Location
8	Power assisted filtering devices incorporating full face masks, half masks or quarter masks	Determination of: Visual inspection (7.2) Cleaning and disinfecting (7.3.5.15) Conditioning (6.2) Facepiece (6.3) Inward leakage (6.4) Breathing resistance (6.5) Clogging (6.8) Gas capacity (6.11) Particle filter penetration (6.11) Carbon dioxide content of the inhaled air (6.13) Flammability (6.14) Mass (6.15, 6.16) Practical performance (6.17) Marking (8) Information supplied by the manufacturer (9)	PQ-W-074 NEN-EN 12942, except for 6.13 (in house method)	R
9	Respiratory protective devices for use against chemical, biological, radiological and nuclear (CBRN) agents	Determination of: Chemical agent permeation and penetration (6.2) Breathing resistance (6.4) Flammability (6.5) Visual inspection (6.6) Mass (6.6.3) Conditioning (6.6.9) Gas capacity (6.7) Particle filter penetration (6.8) Marking (7) Information supplied by the manufacturer (8)	PQ-W-075 BS 8468 part 1-8	

Annex to declaration of accreditation (scope of accreditation)
 Normative document: EN ISO/IEC 17025:2017
 Registration number: **L 543**

of **ProQares B.V.**

This annex is valid from: **18-03-2021 to 01-05-2025**

Replaces annex dated: **14-10-2020**

No.	Material or product	Type of activity ¹	Internal reference number	Location
15	Protective (clothing) materials	Determination of material resistance to permeation by chemicals – part 2: permeation by gaseous chemicals under conditions of continuous contact Permeation test procedure (8)	PQ-W-089 NEN-EN 16523-2	R
16		Determination of permeation (standard test method) of liquids and gases under conditions of continuous contact Permeation test procedure (10)	PQ-W-080 ASTM F739	
17	Respiratory protective devices	Determination of: Visual inspection (2.1.1, 2.1.2, 2.1.3, 2.1.4, 2.3, 3.1) Flammability (2.1.9, 7.4.2.7) Inward leakage (2.2, 3.2.1, 7.4.2.6) Breathing resistance (3.2.5, 4.3.4, 5.4.4) Simulated rough usage, mechanical strength (4.3.2, 5.4.3) Simulated wear treatment, conditioning (4.3.3) Filter efficiency, particle filter penetration (4.3.5, 5.4.2, 6.3.2, 7.4.2.5) Filter capacity, gas capacity (5.4.5, 5.4.6, 5.4.7, 6.3.3, 6.3.4, 7.4.2.4)	PQ-W-096 AS/NZS1716	